



Katalog

Gummiprofiler og fendere

2018



Rubberstyle AS - Finnestadsvingen 36 - 4029 Stavanger - Tlf. +47 51542800 - salg@rubberstyle.com

Contents

Solid rubber profiles

U Channels	1-10
P Channels	11-14
Edge profiles	15-16
Glazing profiles	17-21
Cable protectors	22-23
Fender profiles	24-39
Finger guard profiles	40-41
Dilatation profiles	42-43
Special profiles	44-45
T Profiles	46
Hatch profiles	47
Rectangular cord	48
Round cord	49-51
Hose profiles	52-53

Sponge rubber profiles

Rectangular cord	54-57
Round cord	57-58
Hose profiles	59
U Channels	60-61
P Channels	62-63
Special profiles	64-66

Self gripping profiles

Self gripping profiles	67-69
Self gripping profiles with sponge rubber	70-72

Window channels


Window channels flocked	72
Window channels with metal	73

PVC handrail profiles


Handrail profiles, Anti-slip profiles and Stair nosing profiles	74-77
---	-------




211.00.410
EPDM 70° Shore black
roll length 200 meterr




211.00.788
EPDM 70° Shore black
roll length 200 meter




211.00.802
EPDM 70° Shore black
roll length 50 meter
€ 1,20 / meter




211.01.474
EPDM 70° Shore black
roll length 100 meter




211.01.203
EPDM 70° Shore black
roll length 50 meter




211.00.435
EPDM 70° Shore black
roll length 100 meter




211.00.416
EPDM 70° Shore black
roll length 100 meter



211.01.204
EPDM 70° Shore black
roll length 50 meter




211.00.421
EPDM 70° Shore black
roll length 100 meter




211.01.205
EPDM 70° Shore black
roll length 50 meter




211.00.390
EPDM 70° Shore black
roll length 100 meter




211.01.206
EPDM 70° Shore black
roll length 50 meter




211.01.206GR
TPE 70° Shore grey
roll length 50 meter




211.01.552
EPDM 70° Shore black
roll length 50 meter




211.01.552
EPDM 70° Shore black
roll length 50 meter




211.01.210
EPDM 70° Shore black
roll length 50 meter




211.01.654
EPDM 70° Shore black
roll length 50 meter




211.01.212
EPDM 70° Shore black
roll length 50 meter




211.01.220
EPDM 70° Shore black
roll length 50 meter




211.01.658
EPDM 70° Shore black
roll length 100 meter




211.08.002
EPDM 70° Shore black
roll length 50 meter




211.01.515
EPDM 70° Shore black
roll length 50 meter




211.00.615
TPE 70° Shore black
roll length 50 meter




211.00.615GR
TPE 70° Shore grey
roll length 50 meter



211.01.699
EPDM 70° Shore black
roll length 50 meter




211.00.620
EPDM 70° Shore black
roll length 25 meter




211.00.620GR
TPE 70° Shore grey
roll length 25 meter




211.00.100
EPDM 70° Shore black
roll length 100 meter




211.01.080
EPDM 70° Shore black
roll length 100 meter



211.00.494
EPDM 70° Shore black
roll length 100 meter




211.00.090
EPDM 70° Shore black
roll length 200 meter



211.00.095
EPDM 70° Shore black
roll length 100 meter




211.00.036
EPDM 70° Shore black
roll length 50 meter



211.00.039
EPDM 70° Shore black
roll length 100 meter




211.00.118
EPDM 70° Shore black
roll length 100 meter




211.00.123
EPDM 70° Shore black
roll length 50 meter




211.00.222
EPDM 70° Shore black
roll length 40 meter



211.00.212
EPDM 70° Shore black
roll length 100 meter




211.04.300
EPDM 70° Shore black
roll length 200 meter




211.04.250
EPDM 70° Shore black
roll length 200 meter




211.00.027
EPDM 70° Shore black
roll length 100 meter




211.00.018
EPDM 70° Shore black
roll length 100 meter




211.00.175
EPDM 70° Shore black
roll length 100 meter




211.00.180
TPE 70° Shore black
roll length 50 meter




211.04.180GR
TPE 70° Shore grey
roll length 50 meter




211.00.180Y
TPE 70° Shore yellow
roll length 50 meter




211.00.180W
TPE 70° Shore white
roll length 50 meter




211.01.201
EPDM 70° Shore
roll length 100 meter




211.01.201GR
TPE 70° Shore grey
roll length 100 meter




211.04.520
EPDM 70° Shore black
roll length 50 meter




211.00.224
EPDM 70° Shore black
roll length 50 meter




211.04.510
EPDM 70° Shore black
roll length 30 meter



211.04.550
EPDM 70° Shore black
roll length 50 meter




211.04.390
EPDM 70° Shore black
roll length 50 meter




211.00.565
EPDM 70° Shore black
roll length 50 meter




211.00.565GR
TPE 70° Shore grey
roll length 50 meter




211.00.565Y
TPE 70° Shore yellow
roll length 50 meter




211.00.575
EPDM 70° Shore black
roll length 25 meter




211.05.381
EPDM 70° Shore black
roll length 20 meter




211.04.385
EPDM 70° Shore black
roll length 50 meter




211.00.570
EPDM 70° Shore black
roll length 50 meter




211.01.024
EPDM 70° Shore black
roll length 150 meter




211.01.026
EPDM 70° Shore black
roll length 30 meter




211.05.390
EPDM 70° Shore black
roll length 20 meter




211.08.011
EPDM 70° Shore black
roll length 50 meter




211.08.004
EPDM 70° Shore black
roll length 50 meter




211.08.222
EPDM 70° Shore black
roll length 25 meter




211.05.511
EPDM 70° Shore black
roll length 25 meter




211.01.028
EPDM 70° Shore black
roll length 50 meter




216.04.111
EPDM 70° Shore black
roll length 50 meter




216.08.020
EPDM 70° Shore black
roll length 25 meter




216.07.011
EPDM 60° Shore light grey
roll length 25 meter




216.07.016
EPDM 60° Shore light grey
roll length 30 meter



216.07.018
EPDM 60° Shore light grey
roll length 25 meter




211.09.004
EPDM 65° Shore black
roll length 50 meter




211.09.008
EPDM 65° Shore black
roll length 25 meter




211.09.012
CR 65° Shore black
roll length 50 meter




211.09.115
EPDM 65° Shore black
roll length 50 meter




211.09.118
NBR 65° Shore black
roll length 25 meter




211.09.175
EPDM 65° Shore black
roll length 50 meter




211.00.233
EPDM 70° Shore black
roll length 50 meter




211.09.006
EPDM 55° Shore black
roll length 100 meter




211.09.180
EPDM 70° Shore black
roll length 25 meter




214.00.526
EPDM 70° Shore black
roll length 50 meter




214.00.016
EPDM 70° Shore black
roll length 50 meter




214.00.145
EPDM 70° Shore black
roll length 50 meter




214.00.732
EPDM 70° Shore black
roll length 100 meter




214.00.815
EPDM 70° Shore black
roll length 50 meter




214.00.320
EPDM 70° Shore black
roll length 50 meter



214.00.702
EPDM 70° Shore black
roll length 50 meter




214.00.836
NR 50° Shore cream
roll length 4 meter



214.01.050
TPE 70° Shore black
roll length 25 meter




216.01.048
EPDM 70° Shore black
roll length 50 meter




214.02.120
EPDM 70° Shore black
roll length 50 meter




214.01.220
EPDM 70° Shore black
roll length 50 meter




214.00.755
EPDM 70° Shore black
roll length 25 meter



214.00.866
EPDM 70° Shore black
roll length 20 meter



214.00.877
EPDM 70° Shore black
roll length 100 meter




214.00.881
EPDM 70° Shore black
roll length 100 meter




214.00.820
EPDM 70° Shore black
roll length 25 meter




214.00.893
EPDM 70° Shore black
roll length 15 meter




216.51.812
EPDM 70° Shore black
roll length 200 meter




216.51.914
EPDM 70° Shore black
roll length 50 meter




216.51.515
EPDM 70° Shore black
roll length 50 meter




216.52.015
EPDM 70° Shore black
roll length 50 meter




216.52.020
EPDM 70° Shore black
roll length 50 meter




216.52.525
EPDM 60° Shore black
roll length 50 meter




216.55.020
EPDM 70° Shore black
roll length 25 meter




216.55.020Y
TPE 70° Shore yellow
roll length 100 meter




216.55.535
EPDM 60° Shore black
roll length 30 meter




216.56.050
EPDM 70° Shore black
roll length 4 meter




216.50.100
EPDM 65° Shore black
roll length 6,5 meter




213.00.218
EPDM 70° Shore black
roll length 50 meter




213.00.288
EPDM 70° Shore black
roll length 50 meter




213.00.288GR
TPE 70° Shore grey
roll length 25 meter




213.00.288Y
TPE 70° Shore yellow
roll length 25 meter




213.00.412
EPDM 70° Shore black
roll length 30 meter




213.00.412GR
TPE 70° Shore grey
roll length 30 meter




213.00.412Y
TPE 70° Shore yellow
roll length 30 meter




213.00.238
EPDM 70° Shore black
roll length 50 meter




213.00.238GR
TPE 70° Shore black
roll length 30 meter




213.00.466
EPDM 70° Shore black
roll length 50 meter




213.00.464
EPDM 70° Shore black
roll length 30 meter




213.00.211
EPDM 70° Shore black
roll length 50 meter




213.00.295
EPDM 70° Shore black
roll length 50 meter




213.00.382
EPDM 70° Shore black
roll length 25 meter




black 213.00.336
EPDM 70° Shore black
roll length 50 meter




213.00.337GR
EPDM 70° Shore grey
roll length 25 meter




213.00.327
EPDM 70° Shore black
roll length 50 meter




213.02.006
EPDM 70° Shore black
roll length 100 meter




213.02.019
PVC 75° Shore black
roll length 50 meter




213.02.018GR
PVC 75° Shore grey
roll length 50 meter




213.02.015W
PVC 75° Shore white
roll length 50 meter



213.02.016BL
PVC 75° Shore blue
roll length 50 meter



213.02.017C
PVC 75° Shore cream
roll length 50 meter



213.02.008
EPDM 70° Shore black
roll length 100 meter




213.02.050
PVC 75° Shore black
roll length 100 meter




213.02.052GR
PVC 75° Shore grey
roll length 100 meter




213.00.000
Tool for filler sections




213.00.812
EPDM 70° Shore black
roll length 50 meter




213.00.816
EPDM 70° Shore black
roll length 20 meter




211.00.859
EPDM 70° Shore black
roll length 25 meter




213.00.850
EPDM 70° Shore
roll length 30 meter




213.00.860
EPDM 70° Shore black
roll length 25 meter



213.00.866
EPDM 70° Shore black
roll length 25 meter




212.00.024
EPDM 70° Shore black
roll length 100 meter




212.01.011
EPDM 70° Shore black
roll length 100 meter




212.02.150
EPDM 70° Shore black
roll length 50 meter




212.02.200
EPDM 70° Shore black
roll length 50 meter



212.00.022
EPDM 70° Shore black
roll length 50 meter



212.00.048
EPDM 70° Shore black
roll length 50 meter




212.02.300
EPDM 70° Shore black
roll length 50 meter



212.00.078
EPDM 70° Shore black
roll length 100 meter




212.00.088
EPDM 70° Shore black
roll length 30 meter




215.00.474
PVC 92° Shore black/yellow
roll length 9 meter


215.00.477
PVC 92° Shore black/yellow
roll length 9 meter




215.00.475
PVC 92° Shore black/yellow
roll length 9 meter




215.00.473
PVC 92° Shore black/yellow
roll length 9 meter




215.00.478
PVC 92° Shore black/yellow
roll length 9 meter




215.00.480
EPDM 70° Shore black
roll length 9 meter




215.00.485
EPDM 70° Shore black
roll length 9 meter




215.00.470
PVC black
roll length 9 meter




215.00.471
PVC black
roll length 9 meter




215.00.472
PVC black
roll length 9 meter




216.00.801
EPDM 90° Shore with adhesive
roll length 25 meter




216.00.802
EPDM 90° Shore with adhesive
roll length 25 meter




216.00.803
EPDM 90° Shore with adhesive
roll length 25 meter




215.00.423
TPE 60° Shore black
roll length 25 meter




215.00.423GR
TPE 60° Shore grey
roll length 25 meter




215.00.423W
TPE 60° Shore white
roll length 25 meter




215.01.977GR
TPE 70° Shore grey
roll length 100 meter




215.14.020
TPE 60° Shore black
roll length 25 meter




215.04.020GR
TPE 60° Shore grey
roll length 25 meter




215.14.020Y
TPE 60° Shore yellow
roll length 25 meter



215.14.020W
TPE 60° Shore white
roll length 25 meter




215.15.025
EPDM 65° Shore black
roll length 25 meter



215.17.055
EPDM 65° Shore black
roll length 15 meter




215.00.450
TPE 65° Shore black
roll length 40 meter




215.00.450GR
TPE 65° Shore grey
roll length 40 meter




215.00.450Y
TPE 65° Shore yellow
roll length 40 meter




215.00.450W
TPE 65° Shore white
roll length 40 meter




215.01.398
EPDM 70° Shore black
roll length 25 meter




215.01.300
EPDM 70° Shore black
roll length 25 meter




215.28.736
EPDM 70° Shore black
roll length 25 meter




215.01.435
EPDM 65° Shore black
roll length 20 meter




215.14.031
EPDM 65° Shore black
roll length 20 meter




215.14.227
EPDM 70° Shore black
roll length 20 meter




215.00.801
EPDM 70° Shore with adhesive
roll length 20 meter




215.04.017
EPDM 70° Shore black
roll length 25 meter




215.07.400
EPDM 70° Shore black
roll length 10 meter




215.65.260
CR 50° Shore black
roll length 5 meter




215.04.025
EPDM 70° Shore black
roll length 5 meter




215.06.050
EPDM 70° Shore black
roll length 5 meter




215.65.260
CR 50° Shore black
roll length 5 meter




215.28.070
EPDM 70° Shore black
roll length 12,5 meter




215.08.065
EPDM 70° Shore black
roll length 5 meter




215.08.560
EPDM 70° Shore black
roll length 12,5 meter




215.01.436
EPDM 70° Shore
length 0,40 meter




211.08.810
EPDM 70° Shore black
roll length 5 meter





215.01.200
EPDM 70° Shore black
roll length 10 meter




215.18.070
EPDM 70° Shore black
roll length 12,50 meter




215.18.075
EPDM 70° Shore black
roll length 12,50 meter






215.11.010
EPDM 70° Shore black
roll length 12,50 meter




215.01.095
EPDM 70° Shore black
roll length 12,50 meter



215.01.195
EPDM 70° Shore black
roll length 5 meter


D-fender with drill holes


code	height H in mm	width B in mm	length in mm	weight in kg/m
215.01.010	100	100	905	8
215.01.015	150	150	905	14
215.01.020	200	200	1000	30
215.01.022	200	200	2000	60




Bumper profiles for loading docks

code	height H in mm	width B in mm	length in mm	weight in kg/m
215.01.075	100	250	325	8
215.01.080	100	250	445	12







215.00.240
quality SBR black
roll length 12 meter




216.00.415
quality NR/SBR black
roll length 10 meter




216.08.050
EPDM 70° Shore black
roll length 25 meter




216.08.051
EPDM 70° Shore black
roll length 25 meter




216.00.805
EPDM 70° Shore black
roll length 25 meter




216.01.115
EPDM 70° Shore black
roll length 10 meter




216.01.119
EPDM 70° Shore black
roll length 25 meter




216.04.800
EPDM 70° Shore black
roll length 100 meter




216.04.950
EPDM 70° Shore black
roll length 150 meter




216.05.000
EPDM 70° Shore black
roll length 100 meter




216.05.005
EPDM 70° Shore black
roll length 50 meter




216.05.007
EPDM 70° Shore black
roll length 50 meter




216.05.010
EPDM 70° Shore black
roll length 75 meter




216.05.015
EPDM 70° Shore black
roll length 50 meter




216.05.030
EPDM 70° Shore black
roll length 25 meter




216.05.277
EPDM 70° Shore black
roll length 25 meter




216.05.650
EPDM 70° Shore black
roll length 50 meter




216.05.700
EPDM 70° Shore black
roll length 25 meter




216.05.705
EPDM 70° Shore black
roll length 25 meter




216.05.760
EPDM 70° Shore black
roll length 25 meter




black 216.05.800
EPDM 70° Shore black
roll length 15 meter




black 216.05.801GR
EPDM 70° Shore grey
roll length 15 meter




216.05.875
EPDM 70° Shore black
roll length 25 meter




216.06.601
EPDM 70° Shore grey
roll length 25 meter




216.03.545
EPDM 65° Shore black
roll length 200 meter




216.03.551
EPDM 65° Shore black
roll length 200 meter




216.03.557
EPDM 65° Shore black
roll length 100 meter




216.03.575
EPDM 65° Shore black
roll length 100 meter




216.03.633
EPDM 70° Shore black
roll length 250 meter



216.03.635
EPDM 70° Shore black
roll length 200 meter




216.03.641
EPDM 70° Shore black
roll length 100 meter




216.01.305
EPDM 70° Shore black
roll length 100 meter




216.00.040
EPDM 70° Shore black
roll length 30 meter



216.00.715
EPDM 70° Shore black
roll length 30 meter




216.01.309
EPDM 70° Shore black
roll length 50 meter




216.03.580
EPDM 70° Shore black
roll length 50 meter




216.00.038
EPDM 70° Shore black
roll length 50 meter



216.01.324
EPDM 70° Shore black
roll length 100 meter




216.01.328
EPDM 70° Shore black
roll length 50 meter




215.28.736
EPDM 40° Shore black
roll length 20 meter


216.09.040
EPDM 60° Shore black
roll length 5 meter



216.09.041
EPDM 60° Shore black
roll length 5 meter




216.09.043
EPDM 60° Shore black
roll length 5 meter



Hatch profiles

hardness 45° Shore
 tolerances ISO 3302 E2
 quality EPDM
 colour black


A	B	C	code	roll length (m)
25	15	6	215.82.515	40
25	25	10	215.82.525	20
30	20	8	215.83.020	20
30	25	10	215.83.025	20
30	30	14	215.83.030	15
35	15	6	215.83.515	25
35	20	8	215.83.520	20
35	30	14	215.83.530	15
35	35	14	215.83.535	15
40	15	6	215.84.015	20
40	20	8	215.84.020	20
40	25	10	215.84.025	15
40	30	14	215.84.030	15
40	40	18	215.84.040	15
45	20	8	215.84.520	15
50	20	8	215.85.020	15
50	30	14	215.85.030	10
50	40	18	215.85.040	10
50	50	20	215.85.050	10
60	40	18	215.86.040	10
70	40	18	215.87.040	5



hatch packing

tolerances ISO 3302 E3
 quality solid rubber skin / sponge rubber inside
 colour black

A	B	code	roll length (m)
57	32	215.95.732	10
70	40	215.97.040	10
71	32	215.97.132	10
94	50	215.99.450	10



Rectangular cord


hardness 45° Shore

tolerances ISO 3302 E2

quality EPDM


colour black

A	B	code	roll length (m)
6	6	218.00.606	200
8	8	218.00.808	100
10	10	218.01.010	100
12	10	218.01.210	50
12	12	218.01.212	50
15	08	218.01.508	50
15	10	218.01.510	50
15	15	218.01.515	50
20	12	218.02.012	50
20	20	218.02.020	50
25	20	218.02.520	25
25	25	218.02.525	25
30	15	218.03.015	25



CR (neoprene) round cord
 hardness 60° Shore
 tolerances ISO 3302 E2
 quality CR
 colour black

Dia (D)	code	roll length (m)
2	217.30.200	200
3	217.30.300	200
4	217.30.400	100
5	217.30.500	100
6	217.30.600	100
7	217.30.700	100
8	217.30.800	100
9	217.30.900	100
10	217.31.000	100
12	217.31.200	50
13	217.31.300	50
14	217.31.400	50
15	217.31.500	50
16	217.31.600	50
18	217.31.800	30
20	217.32.000	20
22	217.32.200	20
25	217.32.500	25
30	217.33.000	30
32	217.33.200	15
35	217.33.500	15
40	217.34.000	10
45	217.34.500	10
50	217.35.000	10



NBR (nitrile) round cord


hardness 70° Shore

tolerances ISO 3302 E2

quality NBR

colour black


Dia (D)	code	roll length (m)	
2	217.10.200	200	
3	217.10.300	200	
4	217.10.400	200	
5	217.10.500	100	
6	217.10.600	100	
7	217.10.700	100	
8	217.10.800	100	
9	217.10.900	100	
10	217.11.000	100	
11	217.11.100	100	
12	217.11.200	50	
13	217.11.300	50	
14	217.11.400	50	
15	217.11.500	20	
16	217.11.600	20	
17	217.11.700	20	
18	217.11.800	20	
19	217.11.900	20	
20	217.12.000	20	
22	217.12.200	20	
25	217.12.500	20	
28	217.12.800	20	
30	217.13.000	20	
35	217.13.500	10	
40	217.14.000	10	
48	217.14.800	10	



EPDM round cord


hardness 70° Shore
 tolerances ISO 3302 E2
 quality EPDM
 colour black

Dia (D)	code	roll length (m)
2	217.20.200	200
3	217.20.300	100
4	217.20.400	100
5	217.20.500	100
6	217.20.600	100
7	217.20.700	100
8	217.20.800	100
9	217.20.900	100
10	217.21.000	100
11	217.21.100	100
12	217.21.200	100
13	217.21.300	50
14	217.21.400	50
15	217.21.500	20
16	217.21.600	20
18	217.21.800	20
20	217.22.000	20
25	217.22.500	20
30	217.23.000	20

**Viton round cord**

hardness 75° Shore
 tolerances ISO 3302 E2
 temperature -40°C / +220°C
 quality Viton
 colour black


Dia (D)	code	roll length (m)
3,5	217.60.350	
4	217.60.400	
5	217.60.500	
6	217.60.600	
7	217.60.700	
8	217.60.800	
10	217.61.000	
11	217.61.100	
12	217.61.200	
13	217.61.300	
14	217.61.400	
16	217.61.600	
18	217.61.800	
19	217.61.900	
20	217.62.000	
24	217.62.400	



EPDM hose profile

hardness 70° Shore
 tolerances ISO 3302 E2
 quality EPDM
 colour black

A	B	code	roll length (m)
4	7	219.20.407	200
4,2	8,5	219.20.408	200
4,7	9	219.20.409	100
5	9	219.20.509	200
5	10	219.20.510	100
6,8	10	219.20.608	150
6,5	10,5	219.20.610	100
9,5	13	219.20.913	100
10	30	219.21.030	20
14	25	219.21.425	25
20	23	219.22.023	50
20	25	219.22.025	25
20	28	219.22.028	50
25	30	219.22.530	25
27	31	219.22.731	20
30	34	219.23.034	40
30	40	219.23.040	25
48	54	219.24.854	20

**EPDM Hose profile with braid**

hardness 70° Shore
 tolerances ISO 3302 E2
 quality EPDM
 colour black

A	B	code	with braid	roll length (m)
5	10	219.20.510g	grey	100
5	10	219.20.510zw	black/white	100
5	10	219.20.510z	black	100
5	10	219.20.510w/z	white/black	100



Siliconen hose transparent

hardness 60° Shore
 temperature -40°C / +200°C
 quality silicone
 colour transparent


A	B	code	roll length (m)
1	3	980.00.103	50
2	4	980.00.204	50
3	5	980.00.305	50
3	6	980.00.306	50
3	7	980.00.307	50
4	6	980.00.406	50
4	7	980.00.407	50
4	8	980.00.408	50
4	10	980.00.410	50
5	7	980.00.507	50
5	8	980.00.508	50
5	9	980.00.509	50
5	10	980.00.510	50
6	8	980.00.608	50
6	9	980.00.609	50
6	10	980.00.610	50
6	11	980.00.611	50
6	12	980.00.612	50
7	10	980.00.710	50
7	11	980.00.711	50
7	13	980.00.713	50
8	12	980.00.812	25
8	14	980.00.814	50
8	16	980.00.816	50
10	14	980.01.014	50
10	15	980.01.015	50
10	16	980.01.016	25
10	18	980.01.018	25
10	23	980.01.023	25
12	16	980.01.216	25
12	17	980.01.217	25
12	18	980.01.218	25
12	22	980.01.222	25
15	21	980.01.521	25
18	24	980.01.824	25
20	27	980.02.027	10
25	35	980.02.535	10
30	40	980.03.040	10
40	50	980.04.050	10
50	60	980.05.060	10



Sponge rubber Rectangular cord

hardness 15° Shore A
 tolerances ISO 3302 E3
 quality EPDM
 colour black

A	B	code	roll length (m)
8	8	228.00.808	100
10	3	228.01.003	100
10	5	228.01.005	100
10	6	228.01.006	100
10	10	228.01.010	50
12	12	228.01.212	50
15	3	228.01.503	100
15	5	228.01.505	50
15	10	228.01.510	50
15	15	228.01.515	50
18	3	228.01.803	100
20	2	228.02.002	100
20	3	228.02.003	100
20	4	228.02.004	100
20	5	228.02.005	25
20	10	228.02.010	25
20	12	228.02.012	25
20	15	228.02.015	25
20	20	228.02.020	25
25	5	228.02.505	100
25	8	228.02.508	50
25	10	228.02.510	25
25	15	228.02.515	25
25	20	228.02.520	25
25	25	228.02.525	25
30	3	228.03.003	50
30	4	228.03.004	50
30	5	228.03.005	50
30	8	228.03.008	50
30	10	228.03.010	25
30	12	228.03.012	25
30	15	228.03.015	25
30	20	228.03.020	25
30	25	228.03.025	25
30	30	228.03.030	25



Ook leverbaar in: 25° Shore A

Sponge rubber rectangular cord


hardness 15° Shore A

tolerances ISO 3302 E3

quality EPDM

colour black


A	B	code	roll length (m)
35	10	228.03.510	25
35	12	228.03.512	25
35	15	228.03.515	25
35	20	228.03.520	25
35	25	228.03.525	25
35	30	228.03.530	15
35	35	228.03.535	15
40	3	228.04.003	50
40	5	228.04.005	50
40	10	228.04.010	25
40	15	228.04.015	25
40	20	228.04.020	25
40	25	228.04.025	25
40	30	228.04.030	15
40	35	228.04.035	15
40	40	228.04.040	10
45	15	228.04.515	25
45	20	228.04.520	25
45	25	228.04.525	15
45	30	228.04.530	15
50	3	228.05.003	50
50	4	228.05.004	50
50	5	228.05.005	50
50	10	228.05.010	25
50	15	228.05.015	25
50	20	228.05.020	25
50	25	228.05.025	15
50	30	228.05.030	15
50	50	228.05.050	10
60	15	228.06.015	15
80	40	228.08.040	10
80	80	228.08.080	10
94	50	228.09.450	10
100	50	228.10.050	10



Sponge rubber rectangular cord

hardness 25° Shore A
 tolerances ISO 3302 E3
 quality EPDM
 colour black


A	B	code	roll length (m)
10	10	229.01.010	50
12	8	229.01.208	50
12	12	229.01.208	50
15	10	229.01.508	50
15	15	229.01.508	50
20	5	229.02.005	50
20	10	229.02.010	50
20	15	229.02.015	25
20	20	229.02.020	25
25	10	229.02.510	25
25	12	229.02.512	25
25	15	229.02.515	25
25	20	229.02.520	25
25	25	229.02.525	25
30	10	229.03.010	25
30	15	229.03.015	25
30	20	229.03.020	25
30	25	229.03.025	25
30	30	229.03.030	25
35	10	229.03.510	25
35	12	229.03.512	25
35	15	229.03.515	25
35	25	229.03.525	25
35	30	229.03.530	25
35	35	229.03.535	15
40	10	229.04.010	25
40	12	229.04.012	25
40	15	229.04.015	25
40	20	229.04.020	25
40	25	229.04.025	25
40	30	229.04.030	25
40	35	229.04.035	25
40	40	229.04.040	10



Sponge rubber rectangular cord


hardness 25° Shore A
 tolerances ISO 3302 E3
 quality EPDM
 colour black

A	B	code	roll length (m)
45	15	229.04.515	25
45	20	229.04.520	25
45	25	229.04.525	25
45	30	229.04.530	15
50	10	229.05.010	25
50	15	229.05.015	25
50	20	229.05.020	25
50	25	229.05.025	25
50	30	229.05.030	15
50	40	229.05.040	10
50	50	229.05.050	10
60	10	229.06.010	50
60	20	229.06.020	25
60	40	229.06.040	10

**Siliconen sponge round cord**

hardness 25° Shore A
 tolerances ISO 3302 E3
 quality silicone
 colour white


Dia (D)	code	roll length
3	227.50.003W	500
4	227.50.004W	250
6	227.50.006W	200
8	227.50.008W	100
10	227.50.010W	50



Sponge rubber round cord


hardness 15° Shore A
 tolerances ISO 3302 E3
 quality EPDM
 colour black


Dia (D)	code	roll length (m)
2	227.00.002	200
3	227.00.003	200
4	227.00.004	200
5	227.00.005	200
6	227.00.006	100
7	227.00.007	100
8	227.00.008	100
9	227.00.009	100
10	227.00.010	100
12	227.00.012	100
13	227.00.013	100
14	227.00.014	100
15	227.00.015	50
16	227.00.016	50
18	227.00.018	50
20	227.00.020	50
25	227.00.025	50
30	227.00.030	20
40	227.00.040	20
50	227.00.050	20

**Sponge rubber round cord**


hardness 15° Shore A
 tolerances ISO 3302 E3
 quality EPDM
 colour beige

Dia (D)	code	roll length (m)
6	227.10.006	100
8	227.10.008	100
9,5	227.10.009	100







222.01.018
EPDM 15° Shore black
roll length 50 meter




222.00.822
EPDM 15° Shore black
roll length 25 meter




222.00.524
EPDM 15° Shore black
roll length 25 meter




222.01.626
EPDM 15° Shore black
roll length 50 meter




222.02.535
EPDM 15° Shore black
roll length 25 meter




222.01.842
EPDM 15° Shore black
roll length 10 meter




222.05.020
EPDM 15° Shore black
roll length 15 meter




225.00.828
EPDM 15° Shore black
roll length 50 meter




225.00.752
EPDM 15° Shore black
roll length 25 meter




221.00.130
CR 15° Shore black
roll length 50 meter




221.00.140
EPDM 15° Shore black
roll length 50 meter




221.00.150
EPDM 15° Shore black
roll length 50 meter




221.00.160
EPDM 15° Shore black
roll length 50 meter



221.01.108
EPDM 15° Shore black
roll length 100 meter




221.00.110
EPDM 15° Shore black
roll length 100 meter




221.00.112
EPDM 15° Shore black
roll length 50 meter




221.01.078
EPDM 15° Shore black
roll length 50 meter



221.01.075
EPDM 15° Shore black
roll length 50 meter




221.01.083
EPDM 15° Shore black
roll length 100 meter



221.01.088
EPDM 15° Shore black
roll length 25 meter



221.01.503
EPDM 15° Shore black
roll length 25 meter




221.01.825
EPDM 15° Shore black
roll length 30 meter




221.01.085
EPDM 15° Shore black
roll length 30 meter




225.00.083
EPDM 15° Shore black
roll length 30 meter



224.00.227
EPDM 15° Shore black
roll length 50 meter




224.00.247
EPDM 15° Shore black
roll length 50 meter




224.00.287
EPDM 15° Shore black
roll length 50 meter




224.00.834
EPDM 15° Shore black
roll length 25 meter



224.00.810
EPDM 15° Shore black
roll length 50 meter




224.00.916
EPDM 15° Shore black
roll length 25 meter




224.00.925
EPDM 15° Shore black
roll length 25 meter




224.00.223
EPDM 15° Shore black
roll length 50 meter




225.01.200
EPDM 15° Shore black
roll length 25 meter




268.01.206
EPDM 15° Shore black with adhesive
roll length 100 meter



268.01.210
EPDM 15° Shore black with adhesive
roll length 70 meter




268.01.8010
EPDM 15° Shore black with adhesive
roll length 25 meter




268.02.020
EPDM 15° Shore black
roll length 25 meter



268.01.415
EPDM 15° Shore black with adhesive
roll length 225 meter



268.01.422
EPDM 15° Shore black with adhesive
roll length 125 meter




268.012.428
EPDM 15° Shore black with adhesive
roll length 100 meter



268.01.432
EPDM 15° Shore black with adhesive
roll length 75 meter



225.01.440
EPDM 15° Shore black with adhesive
roll length 100 meter



268.01.448
EPDM 15° Shore black with adhesive
roll length 50 meter




268.01.458
EPDM 15° Shore black with adhesive
roll length 50 meter




268.01.010
EPDM 15° Shore black with adhesive
roll length 100 meter




268.01.010B
EPDM 15° Shore black with adhesive
roll length 100 meter




268.01.010W
EPDM 15° Shore black with adhesive
roll length 100 meter




225.00.617
EPDM 15° Shore black
roll length 50 meter




225.00.619
EPDM 15° Shore black
roll length 50 meter




225.00.601GR
EPDM 15° Shore grey
roll length 100 meter




225.00.084
EPDM 15° Shore black
roll length 30 meter



225.00.081
EPDM 15° Shore black
roll length 30 meter




225.00.082
EPDM 15° Shore black
roll length 30 meter




225.01.118
EPDM 15° Shore black
roll length 30 meter




225.00.640
EPDM 15° Shore black
roll length 50 meter




228.14.520
EPDM 15° Shore
roll length 25 meter




225.00.762
EPDM 15° Shore black
roll length 30 meter




228.11.611
EPDM 15° Shore grey
roll length 50 meter




225.01.125
EPDM 15° Shore black
roll length 25 meter




225.00.101
EPDM 15° Shore black
roll length 25 meter




225.01.040
sponge rubber skirting board profile black
roll length 20 meter



225.01.042GR
sponge rubber skirting board profile grey
roll length 20 meter




225.84.040
EPDM 15° Shore black
length 2 meter



225.01.170
EPDM 15° Shore black
roll length 10 meter

clamping range 0,5 - 1,5 mm

code	colour	roll length (m)
241.00.122	chrome	25



clamping range 0,5 - 2 mm

code	colour	roll length (m)
241.00.128	black	100
241.00.128W	white	100
241.00.128R	red	100
241.00.128S	silvergry	100
241.00.128DGR	dark grey	100
241.00.128LGR	light grey	100
241.00.128BL	blue	100
241.00.128DG	dark green	100
241.00.128LG	light green	100
241.00.128Y	yellow	100




clamping range 1 - 2,5 mm

code	colour	roll length (m)
241.00.215	black	50
241.00.215W	white	50
241.00.215R	red	50
241.00.215S	silvergry	50
241.00.215DGR	dark grey	50
241.00.215LGR	light grey	50
241.00.215BL	blue	50
241.00.215DG	dark green	50
241.00.215LG	light green	50
241.00.215Y	yellow	50




clamping range 1 - 4 mm

code	colour	roll length (m)
241.00.231	black	50
241.00.231W	white	50
241.00.231R	red	50
241.00.231S	silvergrey	50
241.00.231DGR	dark grey	50
241.00.231LGR	light grey	50
241.00.231BL	blue	50
241.00.231DG	dark green	50
241.00.231LG	light green	50
241.00.231Y	yellow	50



clamping range 4 - 5 mm

code	colour	roll length (m)
241.00.255	black	50
241.00.255W	white	50
241.00.255R	red	50
241.00.255S	silvergrey	50
241.00.255DGR	dark grey	50
241.00.255LGR	light grey	50
241.00.255BL	blue	50
241.00.255DG	dark green	50
241.00.255LG	light green	50
241.00.255Y	yellow	50




clamping range 6 - 8 mm

code	colour	roll length (m)
241.00.263	black	50
241.00.263W	white	50
241.00.263R	red	50
241.00.263S	silvergrey	50
241.00.263DGR	dark grey	50
241.00.263LGR	light grey	50
241.00.263BL	blue	50
241.00.263DG	dark green	50
241.00.263LG	light green	50
241.00.263Y	yellow	50




clamping range 8 - 10 mm


code	colour	roll length (m)
241.00.285	black	50
241.00.285W	white	50
241.00.285R	red	50
241.00.285S	silvergrey	50
241.00.285DGR	dark grey	50
241.00.285LGR	light grey	50
241.00.285BL	blue	50
241.00.285DG	dark green	50
241.00.285LG	light green	50
241.00.285Y	yellow	50




clamping range 11 - 12 mm

code	colour	roll length (m)
241.00.290	black	50
241.00.290W	white	50
241.00.290R	red	50
241.00.290S	silvergrey	50
241.00.290DGR	dark grey	50
241.00.290LGR	light grey	50
241.00.290BL	blue	50
241.00.290DG	dark green	50
241.00.290LG	light green	50
241.00.290Y	yellow	50







245.00.100
pvc + Sponge rubber
clamping range 1,5-3 mm
roll length 25 meter




245.00.135
pvc + Sponge rubber
clamping range 1-2 mm
roll length 50 meter



245.00.140
pvc + Sponge rubber
clamping range 1-3 mm
roll length 50 meter




245.00.155
pvc + Sponge rubber
clamping range 1,5-3 mm
roll length 25 meter




245.00.115
pvc + Sponge rubber
clamping range 1,5-3 mm
roll length 25 meter




245.00.120
pvc + Sponge rubber
clamping range 1,5-4 mm
roll length 25 meter




245.00.102
pvc + Sponge rubber
clamping range 1,5-4 mm
roll length 50 meter




245.00.116
pvc + Solid rubber
clamping range 1,5-4 mm
roll length 35 meter




245.00.119
PVC + Sponge rubber
clamping range 1-4mm
roll length 25 meter




245.00.812
pvc + Sponge rubber
clamping range 9-10,5 mm
roll length 50 meter




245.00.315
EPDM Solid rubber
clamping range 1,5-4 mm
roll length 30 meter




245.00.817
pvc + Sponge rubber
clamping range 1,5-3 mm
roll length 50 meter




245.00.820
pvc + Sponge rubber
clamping range 1-3 mm
roll length 50 meter



245.00.830
pvc + Sponge rubber
clamping range 1-2 mm
roll length 50 meter




245.00.865
pvc + Sponge rubber
clamping range 1-2,5 mm
roll length 50 meter



245.00.875
EPDM Solid rubber
clamping range 1,5-4 mm
roll length 30 meter




245.00.876
pvc + Sponge rubber
clamping range 1-3 mm
roll length 25 meter




245.00.877
pvc + Sponge rubber
clamping range 1-2 mm
roll length 25 meter

Self gripping profiles


Self gripping profiles with sponge rubber



245.00.890
pvc + Solid rubber
clamping range 1,5-4 mm
roll length 40 meter




245.00.920
pvc + Sponge rubber
clamping range 1,5-4 mm
roll length 30 meter




245.00.910
pvc + Sponge rubber
clamping range 1,5-5 mm
roll length 25 meter

Window channels


Window channels flocked




219.01.202
EPDM flocked
roll length 30 meter




219.01.201
EPDM flocked
roll length 30 meter




219.01.204
EPDM flocked
roll length 30 meter




219.01.108
EPDM flocked
roll length 2,5 meter



219.01.106
EPDM + textile
roll length 1,83 meter




219.01.114
EPDM + textile
roll length 2 meter




219.01.105
EPDM + textile
roll length 2,5 meter




219.01.107
EPDM + textile
roll length 30 meter




219.01.024
EPDM + textile
roll length 30 meter



219.01.023
EPDM + textile
roll length 30 meter



219.01.021
EPDM + textile
roll length 30 meter




219.01.022
EPDM + textile
roll length 30 meter

Handrail profiles

size 30x8mm
 quality PVC


code	colour	roll length (m)
252.03.801	black	25
252.03.804	dark grey	25
252.03.808	white	25
252.03.811	grey metallic	25
252.03.820	gold	25
252.03.825	blue	25



Handrail profiles

size 40x8mm
 quality PVC

code	colour	roll length (m)
252.04.801	black	25
252.04.802	anthracite grey	25
252.04.803	light grey	25
252.04.804	dark grey	25
252.04.808	white	25
252.04.811	grey metallic	25
252.04.812	bordeaux red	25
252.04.819	grey aluminium	25
252.04.821	green	25
252.04.824	blue	25
252.04.827	red	25
252.04.828	brown	25




For the handrail profiles 40x8mm there are end pieces available.

Handrail profiles

size 50x8mm

quality

code	colour	roll length (m)
252.05.801	black	25
252.05.803	light grey	25
252.05.804	dark grey	25
252.05.811	grey metallic	25
252.05.820	gold	25




Handrail profiles

size 25x15mm

quality PVC

code	colour	roll length (m)
252.07.001	black	25
252.07.004	dark grey	25
252.07.008	white	25
252.07.019	grey aluminium	25



End pieces handrail profiles

size 40x8mm
 quality PVC

code	colour
252.04.801E	black
252.04.802E	anthracite grey
252.04.803E	light grey
252.04.804E	dark grey
252.04.808E	white
252.04.811E	grey metallic
252.04.812E	bordeaux red
252.04.819E	grey aluminium
252.04.821E	green
252.04.824E	blue
252.04.827E	red
252.04.828E	brown





Anti-slip profiles

quality PVC

code	colour	roll length (m)
216.05.000K	black	100


code	colour	roll length (m)
216.05.000	black	100
216.05.000GR	grey	100
216.05.000W	white	100
216.05.000BR	brown	100
216.05.000RD	red	100
216.05.000BL	blue	100
216.05.000GE	yellow	100
216.05.000ZM	silver metallic	100
216.05.000GL	glow in the dark	100




Stair nosing profiles

hardness 70° Shore
 tolerances ISO 3302 E2
 quality PVC

code	colour	length (m)
253.01.010	black	1,50
253.01.012	dark grey	1,50
253.01.014	light grey	1,50
253.01.016	dark brown	1,50
253.01.018	light brown	1,50



253.01.110
 PVC 70° Shore black
 Length 1,50



253.01.210
 PVC 70° Shore black
 Length 1,50

