



# Katalog

## PVC fliser



Rubberstyle As - Finnestadsvingen 36 - 4029 Stavanger - tlf: 51542800 - salg@rubberstyle.com

**PVC interlocking tiles Chequered**



Quality : PVC  
 Hardness : 92° Shore A ± 5°  
 Fire Class : BFL S1  
 Anti-slip : DS R 10  
 Surface : Chequer

**Application**

office, showroom, workshop, garage or gym



SKU	Thickness (mm)	Dimension (mm)	Colour
VRT0510	4	500 x 500	Black
VRT0512	4	500 x 500	Light grey
VRT0454	4	500 x 500	Dark grey
VRT0456	4	500 x 500	Blue
VRT0468	4	500 x 500	Dark blue
VRT0458	4	500 x 500	Red
VRT0466	4	500 x 500	Off white
VRT0462	4	500 x 500	Green
VRT0460	4	500 x 500	Yellow
VRT0464	4	500 x 500	Terracotta



Surface



Dove tail

**PVC interlocking tiles Studded**



Quality : PVC  
 Hardness : 92° Shore A ± 5°  
 Fire Class : BFL S1  
 Anti-slip : DS R 10  
 Surface : Stud


**Application**  
 office, showroom, workshop, garage or gym



SKU	Thickness (mm)	Dimension (mm)	Colour
VRT0950	4,5	500 x 500	Black
VRT0952	4,5	500 x 500	Light grey
VRT0954	4,5	500 x 500	Dark grey
VRT0951	4,5	500 x 500	Blue
VRT0958	4,5	500 x 500	Dark blue
VRT0964	4,5	500 x 500	Red
VRT0957	4,5	500 x 500	White
VRT0962	4,5	500 x 500	Green
VRT0956	4,5	500 x 500	Yellow
VRT0953	4,5	500 x 500	Terracotta



Surface



T-joint

## PVC interlocking tiles Textured



Quality : PVC  
 Hardness : 92° Shore A ± 5°  
 Fire Class : BFL S1  
 Anti-slip : DS R 10  
 Surface : Textured

### Application

office, showroom, workshop, garage or gym



SKU	Thickness (mm)	Dimension (mm)	Colour
VRT6051	4,5	500 x 500	Black
VRT6052	4,5	500 x 500	Light grey
VRT6054	4,5	500 x 500	Dark grey

## Dove tail

SKU	Thickness (mm)	Dimension (mm)	Colour
VRT6056	4,5	500 x 500	Light grey
VRT6055	4,5	500 x 500	Dark grey
VRT6057	4,5	500 x 500	Blue
VRT6058	4,5	500 x 500	Dark blue
VRT6061	4,5	500 x 500	Red
VRT6063	4,5	500 x 500	White
VRT6060	4,5	500 x 500	Green
VRT6059	4,5	500 x 500	Yellow
VRT6062	4,5	500 x 500	Terracotta
VRT9114	7	500 x 500	Dark grey



Surface



T-joint




Dove tail



# PVC interlocking tiles

- Garage
- Workshop
- Office
- Showroom
- Waiting room
- Warehouse
- Shop
- Factory



**PVC interlocking tiles Leather grain**



Quality : PVC  
 Hardness : 92° Shore A ± 5°  
 Fire Class : BFL S1  
 Anti-slip : DS R 10  
 Surface : Leather grain

**Application**  
 office, showroom, workshop, garage or gym



SKU	Thickness (mm)	Dimension (mm)	Colour
VRT0600	5,5	500 x 500	Black
VRT0601	5,5	500 x 500	Light grey
VRT0602	5,5	500 x 500	Dark grey
VRT0605	5,5	500 x 500	Blue
VRT0609	5,5	500 x 500	Dark blue
VRT0607	5,5	500 x 500	Off white
VRT0603	5,5	500 x 500	Yellow
VRT0604	5,5	500 x 500	Terracotta



Surface



Hidden dove tail joint

**PVC interlocking tiles Slate**




Quality : PVC  
 Hardness : 92° Shore A ± 5°  
 Fire Class : BFL S1  
 Anti-slip : DS R 10  
 Surface : Stone

**Application**  
 office, showroom, workshop, garage or gym



SKU	Thickness (mm)	Dimension (mm)	Colour
VRT0610	5	458 x 458	Black
VRT0612	5	458 x 458	Light grey
VRT0614	5	458 x 458	Dark grey
VRT0616	5	458 x 458	Dark blue
VRT0618	5	458 x 458	Terracotta



Surface



Hidden T-joint

**PVC interlocking tiles Natural stone**

Quality : PVC  
 Hardness : 92° Shore A ± 5°  
 Fire Class : BFL S1  
 Anti-slip : DS R 10  
 Surface : Marmer

**Application**  
 office, showroom, workshop, garage or gym



SKU	Thickness (mm)	Dimension (mm)	Colour
VRT0101	7	450 x 450	Rust
VRT0103	7	450 x 450	Ivory
VRT0104	7	450 x 450	Taupe
VRT0102	7	450 x 450	Sand



Surface



Hidden T-joint



# Application

## PVC-Interlocking tiles

- Workshop
- Office
- Showroom
- Gym
- Waiting room
- Nursery
- Laboratory
- Exhibition floor
- Temporary outside flooring
- Warehouse
- Factory
- Shop
- Playroom
- Office
- Garage
- Barn



## Properties



- Recyclable
- Load up to 1 tonne
- Anti slip
- Excellent heat insulation
- Anti static
- Fire resistant
- Sound deadening
- Excellent chemical resistance
- Easy to clean